



VITS
VANJUST TESTING
INSPECTION SERVICE



中国认可
国际互认
检测
TESTING
CNAS L9713

Test Report

No.: W2400378

Date: 2024-01-19

Page 1 of 23

Applicant : Shantou City Youjie Technology Co.,Ltd

Address : Shangxindong Road,Shangcun,Lianxia Town,Chenghai District,Shantou City

Sample Description:

Name of Product / Item : R/C CAR
Item No. : UJ99-Y200,UJ99-Y201,UJ99-Y202,UJ99-Y203,UJ99-P380,
UJ99-P381,UJ99-P382,UJ99-P383,UJ99-PY360,UJ99-PY361,
UJ99-PY362,UJ99-PY363,UJ99-Q240,UJ99-Q241,UJ99-Q242,
UJ99-Q243,UJ99-ZK01,UJ99-ZK02

Above sample information was submitted and/or identified by client

Quantity of Sample : 2 sets
Other Information : WJ20240108024
Labeled Age Grading : 3+
Requested Age Grading : 3+
Age Group Assessed As Per Age Guideline : Over 3 years
Age Group Applied in Testing : Over 3 years
Sample Receiving Date : 2024-01-09
Testing Period : 2024-01-09 TO 2024-01-19

Signed for and on behalf of
Guangdong Vanjust Testing Technology
Co., Ltd

Nancy



Nancy Wang
Toy Laboratory Manager



scan to see the report

Guangdong Vanjust Testing Technology Co., Ltd
Room 201, Building A, Guanghua Industrial Zone, Longtian
Community, Guangyi Street, Chenghai District, Shantou,
Guangdong, China (515800)
Tel:(86-754)87211449 Email:lab@vanjust.com

This document cannot be reproduced except in full, without prior approval of our laboratory. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



Test Report

No.: W2400378

Date: 2024-01-19

Page 2 of 23

TEST REQUESTED

CONCLUSION

European Standard on Safety of toys:

- EN 71-1:2014+A1:2018 Mechanical and Physical properties
- EN 71-2:2020 Flammability of Toys
- Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738, Commission Directive (EU)2018/725, (EU)2019/1922
- EN 71-3:2019+A1:2021 Migration of certain elements

PASS

PASS

PASS

British Standard on Safety of toys:

- BS EN 71-1:2014+A1:2018 Mechanical and Physical properties
- BS EN 71-2:2020 Flammability of Toys
- BS EN 71-3:2019+A1:2021 Migration of certain elements

PASS

PASS

PASS

**** AS REQUESTED BY THE APPLICANT, PLEASE REFER TO THE FOLLOWING PAGE(S) FOR DETAILS****



Test Report

No.: W2400378

Date: 2024-01-19

Page 3 of 23

European Standard on Safety of Toys

▼ EN 71-1:2014+A1:2018 Mechanical and Physical Properties

As specified in European Standard on Safety of Toys - EN71 Part 1:2014+A1:2018

<u>Clause</u>	<u>Description</u>	<u>Assessment</u>
4	General requirements	
4.1	Material cleanliness	Pass
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
4.9	Protruding parts	Pass
4.10	Parts moving against each other	
4.10.2	Driving mechanisms	Pass
6	Packaging	Pass
7	Warnings, markings and instructions for use (Note: It is drawn to your attention that the warnings, precautions and instructions for use should be given in the national language(s) of the country where the product is sold.)	
7.1	General	Pass
7.2	Toys not intended for children under 36 months	Pass See Remark

Remark: The toy contains small part. It is acceptable because appropriate warning is found on packaging.

Note:

- Only applicable clauses were shown.



Test Report

No.: W2400378

Date: 2024-01-19

Page 4 of 23

▼ EN 71-2:2020 Flammability of Toys

As specified in European Standard on Safety of Toys - EN 71 Part 2:2020

<u>Clause</u>	<u>Description</u>	<u>Assessment</u>
4.1	General requirements	
	- Celluloid, materials with the same behavior in fire as celluloid	Pass
	- Highly flammable solids	Pass

Note:

- The gas used in flammability test is butane.
- Only applicable clauses were shown.



Test Report

No.: W2400378

Date: 2024-01-19

Page 5 of 23

▼ Labeling requirement

Washing/Cleaning instruction, CE mark, importer/manufacture name and address, product identification

As specified in the Directive 2009/48/EC-Safety of toys

Summary table:

Requirement	Observation Result	Location
Washing/Clean instruction	Not Applicable	--
CE mark	Present	Packaging
Importer's Name & Address	Absent	--
Manufacturer's Name & Address	Absent	--
Product ID	Absent	--

Note:

1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soaked. The manufacturer should, if applicable, provide instructions on how the toy must be cleaned.
2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

Note:

- Only applicable clauses were shown.



Test Report

No.: W2400378

Date: 2024-01-19

Page 6 of 23

**Directive 2009/48/EC and its amendment Council Directive (EU) 2017/738,
Commission Directive (EU)2018/725, (EU)2019/1922**

▼ EN 71-3:2019+A1:2021 Migration of certain elements

Method: EN 71-3:2019+A1:2021

Analysis was performed by ICP-OES, ICP-MS, IC-UV/VIS and GC-MS.

Category III: scraped-off toy material

<u>Tested Item(s)</u>	<u>Result (mg/kg)</u>					<u>Reporting Limit (mg/kg)</u>	<u>Limit (mg/kg)</u>
	1	2	3	4	5		
Aluminium (Al)	N.D.	N.D.	N.D.	N.D.	N.D.	50	28130
Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	560
Arsenic (As)	N.D.	N.D.	N.D.	N.D.	N.D.	5	47
Barium (Ba)	N.D.	N.D.	N.D.	N.D.	N.D.	50	18750
Boron (B)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	3	17
Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	N.D.	0.05	--
Chromium (III) #1	N.D.	N.D.	N.D.	N.D.	N.D.	--	460
Chromium (VI)	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	0.053
Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	N.D.	5	130
Copper (Cu)	N.D.	N.D.	N.D.	N.D.	N.D.	50	7700
Lead (Pb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	23
Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	5	94
Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	N.D.	5	930
Selenium (Se)	N.D.	N.D.	N.D.	N.D.	N.D.	5	460
Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	N.D.	50	56000
Tin (Sn)	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	180000
Organic tin (TBT) #2	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	12
Zinc (Zn)	176	N.D.	N.D.	N.D.	N.D.	50	46000



Test Report

No.: W2400378

Date: 2024-01-19

Page 7 of 23

Tested Item(s)	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	6	7	8	9	10		
Aluminium (Al)	N.D.	N.D.	N.D.	N.D.	N.D.	50	28130
Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	560
Arsenic (As)	N.D.	N.D.	N.D.	N.D.	N.D.	5	47
Barium (Ba)	N.D.	N.D.	N.D.	N.D.	N.D.	50	18750
Boron (B)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	3	17
Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	N.D.	0.05	--
Chromium (III) #1	N.D.	N.D.	N.D.	N.D.	N.D.	--	460
Chromium (VI)	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	0.053
Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	N.D.	5	130
Copper (Cu)	N.D.	N.D.	N.D.	N.D.	N.D.	50	7700
Lead (Pb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	23
Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	5	94
Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	N.D.	5	930
Selenium (Se)	N.D.	N.D.	N.D.	N.D.	N.D.	5	460
Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	N.D.	50	56000
Tin (Sn)	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	180000
Organic tin (TBT) #2	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	12
Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	46000



Test Report

No.: W2400378

Date: 2024-01-19

Page 8 of 23

Tested Item(s)	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	11	12	13	14	15		
Aluminium (Al)	N.D.	N.D.	N.D.	N.D.	N.D.	50	28130
Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	560
Arsenic (As)	N.D.	N.D.	N.D.	N.D.	N.D.	5	47
Barium (Ba)	N.D.	N.D.	N.D.	N.D.	N.D.	50	18750
Boron (B)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	3	17
Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	N.D.	0.05	--
Chromium (III) #1	N.D.	N.D.	N.D.	N.D.	N.D.	--	460
Chromium (VI)	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	0.053
Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	N.D.	5	130
Copper (Cu)	N.D.	N.D.	N.D.	N.D.	N.D.	50	7700
Lead (Pb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	23
Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	5	94
Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	N.D.	5	930
Selenium (Se)	N.D.	N.D.	N.D.	N.D.	N.D.	5	460
Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	N.D.	50	56000
Tin (Sn)	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	180000
Organic tin (TBT) #2	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	12
Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	46000



Test Report

No.: W2400378

Date: 2024-01-19

Page 9 of 23

Tested Item(s)	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	16	17	18	19	20		
Aluminium (Al)	N.D.	N.D.	N.D.	N.D.	288	50	28130
Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	560
Arsenic (As)	N.D.	N.D.	N.D.	N.D.	N.D.	5	47
Barium (Ba)	N.D.	N.D.	N.D.	N.D.	N.D.	50	18750
Boron (B)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	3	17
Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	N.D.	0.05	--
Chromium (III) #1	N.D.	N.D.	N.D.	N.D.	N.D.	--	460
Chromium (VI)	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	0.053
Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	N.D.	5	130
Copper (Cu)	N.D.	N.D.	N.D.	N.D.	N.D.	50	7700
Lead (Pb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	23
Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	5	94
Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	N.D.	5	930
Selenium (Se)	N.D.	N.D.	N.D.	N.D.	N.D.	5	460
Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	N.D.	50	56000
Tin (Sn)	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	180000
Organic tin (TBT) #2	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	12
Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	46000

Specimen Description:

- 1 Black foam
- 2 Black plastic (remote control)
- 3 Transparent soft plastic
- 4 Black plastic (chassis of blue green car)
- 5 Black soft plastic (tire of blue green car)
- 6 Black plastic (blue green car mirror/rear frame)
- 7 White plastic



Test Report

No.: W2400378

Date: 2024-01-19

Page 10 of 23

- 8 Black soft plastic (tire of green car)
- 9 Red soft plastic
- 10 Black soft plastic (remote control antenna)
- 11 Black soft plastic (wire)
- 12 Red plastic (switch)
- 13 Black soft plastic (rose red car tire)
- 14 Black plastic (remote control)
- 15 Red plastic (remote control antenna cap)
- 16 Black soft plastic (blue car tire)
- 17 Black soft plastic (blue truck tire)
- 18 Black plastic (button battery)
- 19 Black coating (sample weight: 13.5mg)
- 20 multicolor sticker

Note:

- N.D. = Not Detected (< Reporting limit)
- mg/kg = ppm = parts per million
- Where the test portion has a mass of between 10mg and 100mg, the quantity of the appropriate elements shall be calculated as if 100mg of the test portion had been used.
- #1 The reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium (VI).



Test Report

No.: W2400378

Date: 2024-01-19

Page 11 of 23

- #2 The migration of organic tin is expressed as tributyltin (TBT).

Organic tins tested under EN 71-3:2019+A1:2021
Methyl tin (MeT)
Butyl tin (BuT)
Dibutyl tin (DBT)
Tributyl tin (TBT)
Tetrabutyl tin (TeBT)
n-Octyl tin (MOT)
Di-n-octyl tin (DOT)
Di-n-propyl tin (DProT)
Diphenyl tin (DPHT)
Triphenyl tin (TPHT)
Dimethyl tin (DMT)

- As per client's request, test conducted on specified materials.



Test Report

No.: W2400378

Date: 2024-01-19

Page 12 of 23

British Standard on Safety of Toys

▼ BS EN 71-1:2014+A1:2018 Mechanical and Physical Properties

As specified in European Standard on Safety of Toys –BS EN71 Part 1:2014+A1:2018

<u>Clause</u>	<u>Description</u>	<u>Assessment</u>
4	General requirements	
4.1	Material cleanliness	Pass
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
4.9	Protruding parts	Pass
4.10	Parts moving against each other	
4.10.2	Driving mechanisms	Pass
6	Packaging	Pass
7	Warnings, markings and instructions for use (Note: It is drawn to your attention that the warnings, precautions and instructions for use should be given in the national language(s) of the country where the product is sold.)	
7.1	General	Pass
7.2	Toys not intended for children under 36 months	Pass See Remark

Remark: The toy contains small part. It is acceptable because appropriate warning is found on packaging.

Note:

- Only applicable clauses were shown.



Test Report

No.: W2400378

Date: 2024-01-19

Page 13 of 23

▼ **BS EN 71-2:2020 Flammability of Toys**

As specified in European Standard on Safety of Toys – BS EN 71 Part 2:2020

<u>Clause</u>	<u>Description</u>	<u>Assessment</u>
4.1	General requirements	
	- Celluloid, materials with the same behavior in fire as celluloid	Pass
	- Highly flammable solids	Pass

Note:

- The gas used in flammability test is butane.
- Only applicable clauses were shown.



Test Report

No.: W2400378

Date: 2024-01-19

Page 14 of 23

▼ Labeling requirement

Washing/Cleaning instruction, Name and postal address of Importer based in UK, manufacturer name and address, product identification

Summary table:

Requirement	Observation Result	Location
Washing/Clean instruction	Not Applicable	--
UKCA Mark	Present	Packaging
Name and postal address of Importer based in UK	Absent	--
Manufacturer 's Name & Address	Absent	--
Product ID	Absent	--

Note:

1. According to Toys (Safety) Regulations 2011, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.
2. The UKCA marking should be at least 5mm in height, unless a different minimum dimension is specified in the relevant legislation. The UKCA marking should be visibly, legibly and indelibly (From 1 January 2023, the UKCA marking must, in most cases, be affixed directly to the product.).
3. Importer must make sure that its name and address is marked on the toy or on a document accompanying the toy or packaging, as well as the manufacturer's details after 1 January 2021. Until 31 December 2022, UK importer can provide these details on the accompanying documentation rather than on the good itself.
4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, the required information is provided on the packaging or in a document accompanying the toy.

Note:

- Only applicable clauses were shown.



Test Report

No.: W2400378

Date: 2024-01-19

Page 15 of 23

▼ BS EN 71-3:2019+A1:2021 Migration of certain elements

Method: BS EN 71-3: 2019+A1:2021

Analysis was performed by ICP-OES, ICP-MS, IC-UV/VIS and GC-MS.

Category III: scraped-off toy material

<u>Tested Item(s)</u>	<u>Result (mg/kg)</u>					<u>Reporting Limit (mg/kg)</u>	<u>Limit (mg/kg)</u>
	1	2	3	4	5		
Aluminium (Al)	N.D.	N.D.	N.D.	N.D.	N.D.	50	28130
Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	560
Arsenic (As)	N.D.	N.D.	N.D.	N.D.	N.D.	5	47
Barium (Ba)	N.D.	N.D.	N.D.	N.D.	N.D.	50	18750
Boron (B)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	3	17
Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	N.D.	0.05	--
Chromium (III) # ¹	N.D.	N.D.	N.D.	N.D.	N.D.	--	460
Chromium (VI)	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	0.053
Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	N.D.	5	130
Copper (Cu)	N.D.	N.D.	N.D.	N.D.	N.D.	50	7700
Lead (Pb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	23
Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	5	94
Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	N.D.	5	930
Selenium (Se)	N.D.	N.D.	N.D.	N.D.	N.D.	5	460
Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	N.D.	50	56000
Tin (Sn)	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	180000
Organic tin (TBT) # ²	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	12
Zinc (Zn)	176	N.D.	N.D.	N.D.	N.D.	50	46000



Test Report

No.: W2400378

Date: 2024-01-19

Page 16 of 23

Tested Item(s)	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	6	7	8	9	10		
Aluminium (Al)	N.D.	N.D.	N.D.	N.D.	N.D.	50	28130
Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	560
Arsenic (As)	N.D.	N.D.	N.D.	N.D.	N.D.	5	47
Barium (Ba)	N.D.	N.D.	N.D.	N.D.	N.D.	50	18750
Boron (B)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	3	17
Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	N.D.	0.05	--
Chromium (III) #1	N.D.	N.D.	N.D.	N.D.	N.D.	--	460
Chromium (VI)	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	0.053
Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	N.D.	5	130
Copper (Cu)	N.D.	N.D.	N.D.	N.D.	N.D.	50	7700
Lead (Pb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	23
Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	5	94
Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	N.D.	5	930
Selenium (Se)	N.D.	N.D.	N.D.	N.D.	N.D.	5	460
Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	N.D.	50	56000
Tin (Sn)	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	180000
Organic tin (TBT) #2	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	12
Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	46000



Test Report

No.: W2400378

Date: 2024-01-19

Page 17 of 23

Tested Item(s)	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	11	12	13	14	15		
Aluminium (Al)	N.D.	N.D.	N.D.	N.D.	N.D.	50	28130
Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	560
Arsenic (As)	N.D.	N.D.	N.D.	N.D.	N.D.	5	47
Barium (Ba)	N.D.	N.D.	N.D.	N.D.	N.D.	50	18750
Boron (B)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	3	17
Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	N.D.	0.05	--
Chromium (III) #1	N.D.	N.D.	N.D.	N.D.	N.D.	--	460
Chromium (VI)	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	0.053
Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	N.D.	5	130
Copper (Cu)	N.D.	N.D.	N.D.	N.D.	N.D.	50	7700
Lead (Pb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	23
Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	5	94
Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	N.D.	5	930
Selenium (Se)	N.D.	N.D.	N.D.	N.D.	N.D.	5	460
Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	N.D.	50	56000
Tin (Sn)	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	180000
Organic tin (TBT) #2	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	12
Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	46000



Test Report

No.: W2400378

Date: 2024-01-19

Page 18 of 23

Tested Item(s)	Result (mg/kg)					Reporting Limit (mg/kg)	Limit (mg/kg)
	16	17	18	19	20		
Aluminium (Al)	N.D.	N.D.	N.D.	N.D.	288	50	28130
Antimony (Sb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	560
Arsenic (As)	N.D.	N.D.	N.D.	N.D.	N.D.	5	47
Barium (Ba)	N.D.	N.D.	N.D.	N.D.	N.D.	50	18750
Boron (B)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Cadmium (Cd)	N.D.	N.D.	N.D.	N.D.	N.D.	3	17
Chromium (Cr)	N.D.	N.D.	N.D.	N.D.	N.D.	0.05	--
Chromium (III) #1	N.D.	N.D.	N.D.	N.D.	N.D.	--	460
Chromium (VI)	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	0.053
Cobalt (Co)	N.D.	N.D.	N.D.	N.D.	N.D.	5	130
Copper (Cu)	N.D.	N.D.	N.D.	N.D.	N.D.	50	7700
Lead (Pb)	N.D.	N.D.	N.D.	N.D.	N.D.	5	23
Manganese (Mn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	15000
Mercury (Hg)	N.D.	N.D.	N.D.	N.D.	N.D.	5	94
Nickel (Ni)	N.D.	N.D.	N.D.	N.D.	N.D.	5	930
Selenium (Se)	N.D.	N.D.	N.D.	N.D.	N.D.	5	460
Strontium (Sr)	N.D.	N.D.	N.D.	N.D.	N.D.	50	56000
Tin (Sn)	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	180000
Organic tin (TBT) #2	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	12
Zinc (Zn)	N.D.	N.D.	N.D.	N.D.	N.D.	50	46000

Specimen Description:

- 1 Black foam
- 2 Black plastic (remote control)
- 3 Transparent soft plastic
- 4 Black plastic (chassis of blue green car)
- 5 Black soft plastic (tire of blue green car)
- 6 Black plastic (blue green car mirror/rear frame)
- 7 White plastic



Test Report

No.: W2400378

Date: 2024-01-19

Page 19 of 23

- 8 Black soft plastic (tire of green car)
- 9 Red soft plastic
- 10 Black soft plastic (remote control antenna)
- 11 Black soft plastic (wire)
- 12 Red plastic (switch)
- 13 Black soft plastic (rose red car tire)
- 14 Black plastic (remote control)
- 15 Red plastic (remote control antenna cap)
- 16 Black soft plastic (blue car tire)
- 17 Black soft plastic (blue truck tire)
- 18 Black plastic (button battery)
- 19 Black coating (sample weight: 13.5mg)
- 20 multicolor sticker

Note:

- N.D. = Not Detected (< Reporting limit)
- mg/kg = ppm = parts per million
- Where the test portion has a mass of between 10mg and 100mg, the quantity of the appropriate elements shall be calculated as if 100mg of the test portion had been used.
- #1 The reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium (VI).



Test Report

No.: W2400378

Date: 2024-01-19

Page 20 of 23

- #2 The migration of organic tin is expressed as tributyltin (TBT).

Organic tins tested under BS EN 71-3:2019+A1:2021
Methyl tin (MeT)
Butyl tin (BuT)
Dibutyl tin (DBT)
Tributyl tin (TBT)
Tetrabutyl tin (TeBT)
n-Octyl tin (MOT)
Di-n-octyl tin (DOT)
Di-n-propyl tin (DProT)
Diphenyl tin (DPhT)
Triphenyl tin (TPhT)
Dimethyl tin (DMT)

- As per client's request, test conducted on specified materials.

Remark:

1. Since the data and/or information above division line of front page is provided by the applicant, the relevant results or conclusions of this report are only made for these data and/or information, VITS shall not be responsible for the authenticity and integrity of such data and information and the validity of the results and/or conclusions arising therefrom. Testing results only apply to the sample as received.
2. If relevant standards do not specify decision rule(s), follow decision rule as below:
 - "Pass" means that the measured result is within the limits, even when extended by expanded uncertainty at a level of confidence of 95%.
 - "Fail" means that the measured result is beyond the limit, even when extended by expanded uncertainty at a level of confidence of 95%.



Sample Photo







Vanjust Testing authenticate the photo on original report only

*** End of Report ***