



Test Report

Report No. : AGC08169230301-001

SAMPLE NAME : TRUCK

MODEL NAME: Please refer to the following page(s).

APPLICANT: GUANGDONG HUINA MODEL CO., LTD.

STANDARD(S) : Please refer to the following page(s).

DATE OF ISSUE: Mar.14, 2023

Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd.





Page 1 of 19

Applicant : GUANGDONG HUINA MODEL CO., LTD.

Address : No.9 Xin Xing Five Road, Xin Ning, Chenghai District, Shantou City

2,6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community,

Test Site : Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China

Report on the submitted sample(s) said to be:

Sample Name : TRUCK

1310,1320,1330,1340,1350,1360,1370,1380,1390,1331,1332,1333, 1334,1335,1336,1337,1338,1339,1510,1520,1530,1540,1550,1551, 1552,1553,1554,1555,1556,1557,1558,1559,1560,1561,1562,1563, 1564,1565,1566,1567,1568,1569,1570,1571,1572,1573,1574,1575, 1576,1577,1578,1579,1580,1581,1582,1583,1584,1585,1586,1587, 1588,1589,1590,1591,1592,1593,1594,1595,1596,1597,1598,1599, 1511,1521,1531,1512,1522,1532,1513,1523,1533,1514,1524,1534, 1515,1525,1535,1516,1526,1536,1517,1527,1537,1518,1528,1538,

Model : 1519,1529,1539,K970-100,K970-100S,K350-100,K350-100S,

K350-200,K970-200,K970-300,K3361,K3362,K3363,K3364,K988, K966,K336,K900,K911,K922,K933,K944,K955,K966,K977,K988, K999,K960,K961,K962,K963,K964,K965,K967,K968,K969,TR-122, TR-120,TR-113G,TR-112G,TR-211,TR-211-215,TR-215,TR-214, TR-212,TR-216,TR-217,TR-211M,TR-213,TR-111D-112D,TR-162, TR-134D,TR-123D,TR-211D,TR-218D,TR-212D,TR-213D,TR-311,

TR-611,TR-211K,TR-133G,TR-143G,TR-1219D,TR-1420D,

1535-1,1661

Labeled Age Grading : 8+ Age Group Applied in Testing : 8+

Age Group Assessed by AGC As Per Age Guideline

8+

Sample receiving state : Normal Sample Received Date : Mar.10, 2022

Testing Period : Mar.10, 2022 to Mar.28, 2022

Approved by:

Approved by:

Qinlianzhi, Reed

Liangdan, Jessie.Liang

Jessie lians

Laboratory Supervisor

Technical Director

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



Page 2 of 19

Report Revise Record

Report Version	Issued Date	Valid Version	Notes
/	Mar.14, 2023	Valid	Initial release



Page 3 of 19

Test Requested:

(1) European Standard on Safety of Toys:

EN 71-1: 2014+A1:2018 – Mechanical and Physical Properties

EN 71-2:2020 – Flammability of Toys

EN 71-3:2019+A1:2021 – Migration of certain elements

(2) Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC
Safety of toys

Conclusion

Conclusion

Pass

Pass

Pass

Pass

Pass






Test Result(s):

European Standard on Safety of Toys

(1)-1:EN 71 Part 1: 2014+A1:2018 - Mechanical and Physical Properties

Clause	Description	Result
4	GENERAL REQUIREMENTS	
4.1	Material cleanliness	Pass
4.2	Assembly	N/A
4.3	Flexible plastics sheeting	N/A
4.4	Toy bags	N/A
4.5	Glass	N/A
4.6	Expanding materials	N/A
4.7	Edges	Pass
4.8	Points and metallic wires	Pass
4.9	Protruding parts	N/A
4.10	Parts moving against each other	Pass
4.10.1	Folding and sliding mechanisms	N/A
4.10.2	Driving mechanisms	Pass
4.10.3	Hinges	N/A
4.10.4	Springs	N/A
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	N/A
4.12	Balloons	N/A
4.13	Cords of toy kites and other flying toys	N/A
4.14	Enclosures	N/A
4.15	Toys intended to bear the mass of a child	N/A
4.16	Heavy immobile toys	N/A
4.17	Projectiles	N/A
4.18	Aquatic toys and inflatable toys	N/A
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	N/A
4.20	Acoustics	Pass
4.21	Toys containing a non-electrical heat source	N/A
4.22	Small balls	N/A
4.23	Magnets	N/A





Clause	Description	Result
4.24	Yo-yo balls	N/A
4.25	Toys attached to food	N/A
4.26	Toy Disguise Costumes	N/A
4.27	Flying toys	N/A
5	TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS	
5.1	General requirements	N/A
5.2	Filling materials	N/A
5.3	Plastic sheeting	N/A
5.4	Cords, chains and electrical cables in toys	N/A
5.5	Liquid-filled toys	N/A
5.6	Speed limitation of electrically driven toys	N/A
5.7	Glass and porcelain	N/A
5.8	Shape and size of certain toys	N/A
5.9	Toys comprising monofilament fibres	N/A
5.10	Small balls	N/A
5.11	Play figures	N/A
5.12	Hemispheric-shaped toys	N/A
5.13	Suction cups	N/A
5.14	Straps intended to be worn fully or partially around the neck	N/A
5.15	Sledges with cords for pulling	N/A
6	PACKAGING	N/A
7	Warnings, markings and instructions for use	Pass

USE AND ABUSE TESTS

The samples were undergo the tests in accordance with section 8.3 through 8.13, whichever is applicable						
Clause Test parameters						
8.5 Drop Test	5*850 mm					
8.7 Impact Test	1*100mm					

Note:

- N/A=Not Application



Page 6 of 19

(1)-2:EN 71 Part 2:2020 - Flammability of Toys

Clause	Description	Result
4	Requirements	
4.1	General	Pass
4.2	Toys to be worn on the head	N/A
4.2.1	General	N/A
4.2.2	Beards, moustaches, wigs, etc, made from hair, pile or material with similar features (e.g. freehanging ribbons, paper or cloth strands), which protrude more than or equal to 50 mm from the surface of the toy	N/A
4.2.3	Beards, moustaches, wigs etc. made from hair, pile or material with similar features (e.g. freehanging ribbons, paper or cloth strands etc.), which protrude less than 50 mm from the surface of the toy	N/A
4.2.4	Full or partial moulded head masks	N/A
4.2.5	Flowing elements of toys to be worn on the head (except those covered by 4.2.2 and 4.2.3), hoods, head-dresses etc. and fabric masks which partially or fully cover the head, but excluding those items covered by 4.3	N/A
4.3	Toys disguise costumes and other toys intended to be worn by a child in play	N/A
4.4	Toys intended to be entered by a child	N/A
4.5	Soft Filled Toys (animals and dolls, etc) with a piled or textile surface	N/A

Note:

N/A=Not Application



Page 7 of 19

(1)-3 EN 71-3:2019+A1:2021 – Migration of certain elements.

Table 1

Permissible Limit for Different Materials(Unit: mg/kg)

Item	Category III In scraped-off toy material	Category II In liquid or sticky toy material	Category I In dry, brittle, powder-like or pliable toy material		
Aluminium (Al) (M)	28130	560	2250		
Antimony (Sb) (M)	560	11.3	45		
Arsenic (As) (M)	47	0.9	3.8		
Barium (Ba) (M)	18750	375	1500		
Boron (B) (M)	15000	300	1200		
Cadmium (Cd) (M)	17	0.3	1.3		
Chromium III(Cr(III)) (M)	460	9.4	37.5		
Chromium VI (Cr(VI)) (M)	0.053	0.005	0.02		
Cobalt (Co) (M)	130	2.6	10.5		
Copper (Cu) (M)	7700	156	622.5		
Lead (Pb) (M)	23	0.5	2.0		
Manganese (Mn) (M)	15000	300	1200		
Mercury (Hg) (M)	94	1.9	7.5		
Nickel (Ni) (M)	930	18.8	75		
Selenium (Se) (M)	460	9.4	37.5		
Strontium (Sr) (M)	56000	1125	4500		
Tin (Sn) (M)	180000	3750	15000		
Organic Tin (M)	12	0.2	0.9		
Zinc (Zn) (M)	46000	938	3750		



Page 8 of 19

Category III: Scrapped - off toy material

Test method: EN 71-3:2019+A1:2021, Analysis was performed by ICP-OES, GC-MS.

Unit: mg/kg

To stod Mosso(s)			I	Result(s	s)			MDL	Limit
Tested Item(s)	1	2	3	4	5	10	11	MDL	
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	1075	N.D.	N.D.	50	
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.0	
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.3	
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	a
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.25	See Table 1
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1.0	
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Tin (Sn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.15	
Zinc (Zn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Conclusion	Pass	Pass	Pass	Pass	Pass	Pass	Pass	/	

Note: * = Migration of organic tin is expressed as tributyl tin cation content in mg/kg.



Page 9 of 19

Unit:	mg/kg
Om.	IIIZ/KZ

Tosted Item(s)			I		MDI	T ::4			
Tested Item(s)	12	13	14	15	16	17	18	MDL	Limit
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	254	N.D.	737	50	
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.0	
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.3	
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.25	See Table 1
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1.0	
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Tin (Sn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.15	
Zinc (Zn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	4910	50	
Conclusion	Pass	Pass	Pass	Pass	Pass	Pass	Pass	/	



Page 10 of 19

Unit:	mg/kg
Om.	IIIZ/KZ

Tosted Item(e)			I	Result(s	s)			MDI	Limit
Tested Item(s)	19	20	21	22	23	24	26	MDL	
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	66	N.D.	50	
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.0	
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.3	
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.25	See Table 1
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1.0	
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Tin (Sn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.15	
Zinc (Zn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Conclusion	Pass	Pass	Pass	Pass	Pass	Pass	Pass	/	



Page 11 of 19

Unit:	mg/kg
CIII.	1115/15

Tested Item(s)	Result(s)						MDI	T • •/	
resieu riem(s)	27	28	29	30	32	33	34	MDL	Limit
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	6882	N.D.	50	
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.0	
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	51	N.D.	50	
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.3	
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.25	See Table 1
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1.0	
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Tin (Sn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.15	
Zinc (Zn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	5630	160	50	
Conclusion	Pass	Pass	Pass	Pass	Pass	Pass	Pass	/	



Report No.: AGC08169230301-001 Page 12 of 19

Unit: mg/kg

To sto d Mosso (a)		Result(s)						MDI	T • •/
Tested Item(s)	35	36	37	38	39	41	42	MDL	Limit
Aluminium (Al) (M)	N.D.	N.D.	2396	N.D.	N.D.	N.D.	N.D.	50	
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.0	
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.3	
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.25	See Table 1
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1.0	
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Tin (Sn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.15	
Zinc (Zn) (M)	N.D.	N.D.	5059	120	N.D.	N.D.	N.D.	50	
Conclusion	Pass	Pass	Pass	Pass	Pass	Pass	Pass	/	

Note: * = Migration of organic tin is expressed as tributyl tin cation content in mg/kg.



Page 13 of 19

To sto d Mosso (a)	Result(s)							MDI	T • •/
Tested Item(s)	43	44	45	46	47	48	49	MDL	Limit
Aluminium (Al) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Antimony (Sb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.0	
Arsenic (As) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.5	
Barium (Ba) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Boron (B) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Cadmium (Cd) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.3	
Chromium III (Cr(III)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.2	
Chromium VI (Cr(VI)) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.005	
Cobalt (Co) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	2.5	
Copper (Cu) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Lead (Pb) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.25	See Table 1
Manganese (Mn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Mercury (Hg) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	1.0	
Nickel (Ni) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	10	
Selenium (Se) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	5	
Strontium (Sr) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Tin (Sn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Organic Tin* (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	0.15	
Zinc (Zn) (M)	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	50	
Conclusion	Pass	Pass	Pass	Pass	Pass	Pass	Pass	/	



Page 14 of 19

Unit:	mg/kg
Umit:	1112/K2

The state of the s	Result(s)	1.001	- 4 4
Tested Item(s)	50	MDL	Limit
Aluminium (Al) (M)	N.D.	50	
Antimony (Sb) (M)	N.D.	2.0	
Arsenic (As) (M)	N.D.	0.5	
Barium (Ba) (M)	N.D.	50	
Boron (B) (M)	N.D.	50	
Cadmium (Cd) (M)	N.D.	0.3	
Chromium III (Cr(III)) (M)	N.D.	0.2	
Chromium VI (Cr(VI)) (M)	N.D.	0.005	
Cobalt (Co) (M)	N.D.	2.5	
Copper (Cu) (M)	N.D.	50]
Lead (Pb) (M)	N.D.	0.25	See Table 1
Manganese (Mn) (M)	N.D.	50	
Mercury (Hg) (M)	N.D.	1.0	
Nickel (Ni) (M)	N.D.	10	
Selenium (Se) (M)	N.D.	5	
Strontium (Sr) (M)	N.D.	50	
Tin (Sn) (M)	N.D.	50	
Organic Tin* (M)	N.D.	0.15	
Zinc (Zn) (M)	N.D.	50	
Conclusion	Pass	/	



Page 15 of 19

(2) Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys*

Summary table:

	On product	On packaging
Washing/Cleaning instruction	/	/
CE mark	Absent	Present
Manufacturer's name	Absent	Present
Manufacturer's address	Absent	Present
Importer's name	Absent	Present
Importer's address	Absent	Present
Product ID	Absent	Present

Remark:

- 1: Washing/Cleaning label According to Directive 2009/48/EC the following safety requirements apply regarding cleaning and washing: A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The toy must fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.
- 2:Toys made available on the market must bear the CE marking. The CE marking must be subject to the general principles set out in Article 30 of Regulation (EC) No 765/2008. The CE marking must be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging. In the case of small toys and toys consisting of small parts, the CE marking may alternatively be affixed to a label or an accompanying leaflet. Where, in the case of toys sold in counter displays, that is not technically possible, and on condition that the counter display was originally used as packaging for the toy, the CE marking may be affixed to the counter display. Where the CE marking is not visible from outside the packaging, if any, it shall as a minimum be affixed to the packaging. Where specific legislation does not impose specific dimensions, the CE marking must be at least 5 mm high.
- 3: The manufacturer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. This requirement applies also to the name and address etc. of any importer.
- 4: Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy

Test result was resubmitted sample on Mar.22, 2022.



Page 16 of 19

Note:

mg/kg = milligram per kilogram M = Migration

MDL = Method detection limit N.D.= Not Detected (lower than method detection limit)

Remark:


- *=The test items are not accredited by CNAS.

As received, the test portion of specimen No.6, No.7, No.8, No.9, No.25, No.31, No.40 are less

- than 10mg by weight on one single sample. No need to test for EN 71-3:2019+A1:2021–Migration of certain elements.

Test Point Description

Test point	Test parts	Test point description
1.		Grey plastic shell
2.		Black rubber chimney
3.		Orange plastic fence
4.		Bright black plastic
5.		Silver coating
6.		Earthy yellow coating
7.		Red coating
8.		Black coating
9.		White coating
10.	D1-1114	Black rubber belt
11.	Rubber belt	Black thread button
12.	. ,	Black wire jacket
13.	wire rod	Thread buckle
14.		Transparent window
15.		Black plastic frame
16.		Yellow coating
17.		Yellowish plastic gear
18.	Digging shovel	Grey coating
19.		Red wire jacket
20.	Terminal connecting wire	Black wire jacket
21.		Black plastic terminal
22.		Black plastic bottom shell
23.		Black plastic toggle switch
24.		White label
25.		Black Label
26.	Wheel	Black plastic wheel
27.	Wheel	Black rubber tire
Remote cont	rol	
28.		Orange plastic shell
29.		Black plastic rocker
30.		Red LED
31.		Silver coating
32.		Black plastic toggle switch
Parts		






Test point	Test parts	Test point description
33.		Silver gray coating
34.		Black thread button
35.	bit	Black outer wire jacket
36.		Black plastic plug
37.	grab	Black gray coating
38.	grao	Black plastic frame
(NO 1550)	difference	
39.		Earthy yellow plastic
40.		Crimson coating
41.		Red plastic terminal
(Remote co	ntrol) difference	
42.		Earthy yellow plastic shell
(NO 1520)	difference	
43.		Red plastic lampshade
44.		Black plastic inner seat
45.		Black plastic wheel
46.		Black rubber wheel
(NO 1540)	difference	
47.		Milky plastic support
48.		Hot melt adhesive
49.		Red wire jacket
50.		Blue wire jacket


Note: "---" = The test point exists alone in the sample and is not attached to the test parts.


Test Flow Chart

1. Test Flow Chart for Migration of 17 Heavy Metals-Lead, Cadmium, Chromium, Mercury, Antimony, Barium, Arsenic, Selenium, Aluminum, Boron, Cobalt, Copper, Manganese, Nickel, Strontium, Zinc and Tin:




2. Test Flow Chart for Migration of Chromium(III) and Chromium(VI):







3.Test Flow Chart for Migration of Organic Tin Compounds:



As client's request, add this report that the results are copied from report No.: AGC08169220301-001.

The photo of the sample





Page 19 of 19



AGC08169230301-001

AGC authenticate the photo only on original report

*** End of Report ***



Conditions of Issuance of Test Reports

- 1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
- 2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
- 3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
- 4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
- 5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
- 6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
- 7.Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
- 8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
- 9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.