

Test Report

Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2, 2019


Page 1 of 18

The following sample(s) was (were) submitted and identified by client as:

Sample Description : Toy Series
 Item No. : Please refer to next page(s).
 Battery : 2 X "LR44", 2 X "AA", 3 X "LR44"
 Packaging Type : No packaging
 Instruction Manual/Sheet : No
 Labeled Age Grading : Not stated
 Requested Age Grading : 3+
 Age Group Applied in Testing : 3+
 Sample Received Date : Nov. 13, 2019
 Testing Period : From Nov. 13, 2019 to Dec. 2, 2019
 Test Request : Please refer to next page(s).
 Test Result(s) : Please refer to next page(s).


Signed for and on behalf of Shen Zhen UONE Test Co.,LTD.

Prepared by



Anna Li

Checked by



Nora Deng

Approved by



Pascal Shi



This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Test Report

Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2,2019

Page 2 of 18

Summary of Test Results (Tested parts are required partially by client):

<u>TEST REQUEST</u>	<u>CONCLUSION</u>
(1) EN 71-1:2014+A1: 2018 European Standard for Safety of Toys Mechanical and Physical Properties (Excluding Section 7)	PASS
(2) EN 71-2:2011+A1:2014 European Standard for Safety of Toys Flammability	PASS
(3) EN71-3: 2019 European Standard for Safety of Toys Migration of Certain Elements (Scraped-off toy material)	PASS

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Test Report

Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2,2019

Page 3 of 18

Item No.:
995,996,997,998,112,112A,112B,112C,9922,9955,9966,9911,9009,9908,9918,9918A,9918B,9918C,9919B,9919A,9919,9002,9006,8011,8022,8033,8055,5022,5066,919,918,9905,9983,9982,9985,F001,F002,F003,F003A,F004,F005,F006,F007,F008,F009,F010,F011,F012 ,F013,F014,F015,F016,F017,F018,F019,F020,F021,F022,F023,F024,F025,F026,F027,F028,F029,F030,F031,F032,F033,F034,F035,F036,F037,F038,F039,F040,F6022,F6022A,P001,P002,P003,P004,P005,P006,P007,P008,P009,P010,P011,P012,P013,P014,P015,P016,P017,P018,P019,P020,P021,P022,P023,P024,P025,P026,P027,P028,P029,P030,P031,P032,P033,P034,P035,P036,P037,P038,P039,P040,P012A,P6022,P6022A,M001,M002,M003,M004,M005,M006,M007,M008,M009,M010,M011,M012,M013,M014,M015,M016,M017,M018,M019,M020,M021,M022,M023,M024,M025,M026,M027,M028,M029,M030,M031,M032,M033,M034,M035,M036,M037,M038,M039,M040,M012A,S001,S002,S003,S004,S005,S006,S007,S008,S009,S010,S011,S012,S013,S014,S015,S016,S017,S018,S019,S020,S021,S022,S023,S024,S025,S026,S027,S028,S029,S030,S031,S032,S033,S034,S035,S036,S037,S038,S039,S040,S012A,D001,D002,D003,D004,D005,D006,D006A,D006B,D007,D008,D009,D010,D011,D012,D013,D014,D015,D016,D017,D018,D019,D020,D021,D022,D012A,A001,A002,A003,A004,A005,A006,A007,A008,A009,A010,A011,A012,A013,A014,A015,A016,A017,A018,A019,A020,A021,A022,A012A

Test Material(s) List

Material No.	Description	Remark
1	Transparent brown plastic	/
2	Red-brown plastic without coating	/
3	Dark grey plastic	/
4	Light orange plastic	/
5	Dull green plastic	/
6	Dark blue plastic	/
7	Laminated paper label w/ multi-color printing	/
8	Yellow plastic	/
9	Transparent plastic sheet	/
10	Bright dark blue plastic	/
11	Translucent red plastic	/
12	Brown plastic	/
13	Orange plastic	/
14	White soft plastic	/
15	Dark green plastic	/

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Test Report

Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2,2019

Page 4 of 18

16	Dark yellow plastic	/
17	Pale yellow plastic	/
18	Silvery plastic label w/ black printing	/
19	Blue-purple plastic	/
20	Grey fabric w/ plastic	/
21	Beige/multi-color fabric w/ plastic	/
22	Dark grey hook tape	/
23	Dull green hook tape	/
24	Black fabric w/ plastic	/
25	Grey plastic	/
26	Black plastic	/
27	Red plastic	/
28	Bright silvery coating	/
29	Black coating	/
30	White coating	/
31	Red coating	/
32	Yellow coating	/
33	White w/ black coating	/
34	Dull green coating	/
35	Golden coating	/
36	Red fabric	/
37	Black fabric	/
38	Green/multi-color fabric	/
39	Red fabric	/
40	Yellow-green fabric	/
41	Navy fabric	/
42	Yellow fabric	/

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Test Report

Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2,2019

Page 5 of 18

Test Result(s):

(1) Mechanical and Physical Properties – EN 71-1:2014+A1: 2018

Section	Description	Assessment
4.1	Materials cleanliness	PASS
4.2	Assembly	NA
4.3	Flexible Plastic Sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding Materials	NA
4.7	Edges	PASS
4.8	Points and Metallic Wires	PASS
4.9	Protruding Parts	NA
4.10	Parts moving against each other	NA
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving Mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloon	NA
4.13	Cords of Toy Kites and Other Flying Toys	NA
4.14	Enclosures	PASS
4.14.1	Toys which a child can enter	NA
4.14.2	Masks and helmets	PASS
4.15	Toys intended to bear the mass of a child	NA
4.15.1	Toys propelled by a child or by other means	NA
4.15.2	Toy bicycles	NA
4.15.3	Rocking horses and similar toys	NA
4.15.4	Toys not propelled by a child	NA
4.15.5	Toy scooters	NA

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Test Report

Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2,2019

Page 6 of 18

Section	Description	Assessment
4.16	Heavy immobile toys	NA
4.17	Projectiles	NA
4.17.1	General	NA
4.17.2	All projectiles	NA
4.17.2.1	Leading parts	NA
4.17.2.2	Foam shaft projectiles with a suction cup as a leading part	NA
4.17.2.3	Other types of projectile with a suction cup as a leading part	NA
4.17.3	Projectile toys with stored energy	NA
4.17.3.1	Energy limitation	NA
4.17.3.2	Edges	NA
4.17.3.3	Projectiles with a protective cap,cover or tip	NA
4.17.3.4	Impact resistance	NA
4.17.3.5	Improvised projectiles	NA
4.17.4	Certain projectile toys without stored energy	NA
4.17.4.1	Darts	NA
4.17.4.2	Bows and arrows	NA
4.17.4.3	Toy catapults and projectiles propelled by an elastic band	NA
4.17.4.4	Projectile toys without stored energy where the discharge mechanism can store energy,only when held in place by the user	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion Caps Specifically Designed for Use in Toys and toys using percussion caps	NA
4.20	Acoustics	PASS
4.21	Toys containing a non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	YoYo-ball	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes*	PASS
4.27	Flying toys	NA

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Test Report

Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2,2019

Page 7 of 18

Section	Description	Assessment
4.27.1	General	NA
4.27.2	Rotors and propellers on flying toys	NA
4.27.3	Rotors and propellers on remote controlled flying toys	NA
5	Toys intended for Children under 36 months	NA
5.1	General Requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords,chains and electrical cables in toys	NA
5.4.2	Cords and chains in toys intended for children under 18 months	NA
5.4.2.1	Cords and chains with the potential to tangle	NA
5.4.2.2	Two cords or chains with the potential to tangle	NA
5.4.2.3	Separated cords and chains	NA
5.4.2.4	Free length of cords and chains	NA
5.4.3	Cords and chains in toys intended for children of 18 months or over but under 36 months	NA
5.4.3.1	Cords and chains with the potential to tangle	NA
5.4.3.2	Two cords or chains with the potential to tangle	NA
5.4.3.3	Separated cords and chains	NA
5.4.3.4	Free length of cords and chains	NA
5.4.3.5	Cords and chains not suitable for children under 18 months	NA
5.4.4	Fixed loops,tangled loops and nooses	NA
5.4.5	Cords and chains on pull along toys	NA
5.4.6	Electrical cables	NA
5.4.7	Cross-sectional dimension of certain cords	NA
5.4.8	Self-retracting cords	NA
5.4.9	Toys attached to or intended to be strung across a cradle,cot or perambulator	NA
5.4.9.1	Toys intended to be strung across a cradle,cot or perambulator	NA
5.4.9.2	Toys otherwise intended to be attached to a cradle,cot or perambulator	NA

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Test Report

Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2,2019

Page 8 of 18

Section	Description	Assessment
5.5	Liquid Filled Toys	NA
5.6	Speed limitation of electrically driven toys	NA
5.7	Glass and Porcelain	NA
5.8	Shape and Size of certain Toys	NA
5.9	Toys comprising Monofilament Fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warning and Instructions for Use	NC
8.3	Torque Test	PASS
8.4	Tension test	PASS
8.5	Drop test	PASS
8.6	Tip over test	NA
8.7	Impact test	PASS
8.8	Compression test	NA
8.9	Soaking test	NA
8.13	Flexure test	NA
8.24	Kinetic energy of projectiles	NA
8.34	Tension test for magnets	NA
8.42	Determination of project	NA

Remark: NC = As per client's requirement, Section 7 were not assessed.

*** = The Test Item(s) was(were) not got CNAS accreditation

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Test Report

Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2,2019

Page 9 of 18

Labeling requirement (Washing/Cleaning Label,CE mark,importer / manufacturer mark (name,address),product identification) according to the Directive 2009/48/EC-Safety of toys

Summary table:

	On product	On packaging
CE mark	Present	Absent
Name & Address & Mark	Absent	Absent
Product ID	Absent	Absent

CE mark,importer / manufacturer mark (name,address),product identification	See Remark
<p>Remark 1:The manufacturer's name,registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or,where that is not possible,on its packaging or in a document accompanying the toy. This requirement applies also to the name and address etc. of any importer.</p> <p>Remark2: Manufacturers must ensure that their toys bear a type,batch,serial or model number or other element allowing their identification,or where the size or nature of the toy does not allow it,that the required information is provided on the packaging or in a document accompanying the toy.)</p>	

(2) Flammability – EN 71-2:2011+A1:2014

Section	Test Item	Assessment
4.1	General requirements	PASS
4.2	Toys to be worn on the head	PASS See note
4.3	Toys disguise costumes and toys intended to worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft-filled toys	NA

Note: Full or partial moulded head masks (**Clause 4.2.4**)

Sample	Duration of flaming (sec)	Burnt length (mm)
Helmet	DNI	DNI
Goggles	DNI	DNI

(3) Migration of Certain Elements

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Test Report

Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2,2019

Page 10 of 18

Test Method: With reference to EN71-3: 2019,analyzed by Inductively Coupled Plasma Optical Emission Spectroscopy (ICP-OES),Inductively Coupled Plasma Mass Spectrometer (ICP-MS),Gas Chromatograph-Mass Spectrometry (GC-MS) and Ion Chromatograph.

Substance	RL (mg/kg)	Test Result (mg/kg)						
		1	2	3	4	5	6	7
Aluminium (Al)	5.0	N.D.	N.D.	12	N.D.	N.D.	N.D.	N.D.
Antimony (Sb)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic (As)	0.5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Barium (Ba)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Boron (B)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	0.2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(III) (Cr ³⁺)	2.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(VI) (Cr ⁶⁺)	0.05	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Cobalt (Co)	1.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Copper (Cu)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Lead (Pb)	2.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Manganese (Mn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)	1.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium (Se)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Strontium (Sr)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tin (Sn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Organic tin☆	0.1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Zinc (Zn)	5.0	N.D.	N.D.	70	N.D.	N.D.	N.D.	N.D.
Conclusion		PASS	PASS	PASS	PASS	PASS	PASS	PASS

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Test Report

Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2,2019

Page 11 of 18

Substance	RL (mg/kg)	Test Result (mg/kg)						
		8	9	10	11	12	13	14
Aluminium (Al)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony (Sb)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic (As)	0.5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Barium (Ba)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Boron (B)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	0.2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(III) (Cr ³⁺)	2.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(VI) (Cr ⁶⁺)	0.05	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Cobalt (Co)	1.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Copper (Cu)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Lead (Pb)	2.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Manganese (Mn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)	1.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium (Se)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Strontium (Sr)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tin (Sn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Organic tin☆	0.1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Zinc (Zn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Conclusion		PASS	PASS	PASS	PASS	PASS	PASS	PASS

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Test Report

Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2,2019

Page 12 of 18

Substance	RL (mg/kg)	Test Result (mg/kg)						
		15	16	17	18	19	20	21
Aluminium (Al)	5.0	N.D.	N.D.	N.D.	274	N.D.	30	N.D.
Antimony (Sb)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic (As)	0.5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Barium (Ba)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	30	38
Boron (B)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	0.2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(III) (Cr ³⁺)	2.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(VI) (Cr ⁶⁺)	0.05	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Cobalt (Co)	1.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Copper (Cu)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Lead (Pb)	2.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Manganese (Mn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)	1.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium (Se)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Strontium (Sr)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	21	N.D.
Tin (Sn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Organic tin☆	0.1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Zinc (Zn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	14	N.D.
Conclusion		PASS	PASS	PASS	PASS	PASS	PASS	PASS

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Test Report

Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2,2019

Page 13 of 18

Substance	RL (mg/kg)	Test Result (mg/kg)						
		22	23	24	25	26	27	28
Aluminium (Al)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Antimony (Sb)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic (As)	0.5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Barium (Ba)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Boron (B)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	0.2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(III) (Cr ³⁺)	2.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(VI) (Cr ⁶⁺)	0.05	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Cobalt (Co)	1.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Copper (Cu)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Lead (Pb)	2.0	N.D.	N.D.	20	N.D.	N.D.	N.D.	N.D.
Manganese (Mn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)	1.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium (Se)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Strontium (Sr)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tin (Sn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Organic tin☆	0.1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Zinc (Zn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Conclusion		PASS	PASS	PASS	PASS	PASS	PASS	PASS

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Test Report

Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2,2019

Page 14 of 18

Substance	RL (mg/kg)	Test Result (mg/kg)						
		29	30	31	32	33	34	35
Aluminium (Al)	5.0	N.D.	N.D.	N.D.	41	N.D.	13	708
Antimony (Sb)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic (As)	0.5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Barium (Ba)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Boron (B)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	0.2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(III) (Cr ³⁺)	2.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(VI) (Cr ⁶⁺)	0.05	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Cobalt (Co)	1.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Copper (Cu)	5.0	N.D.	N.D.	11	N.D.	N.D.	N.D.	N.D.
Lead (Pb)	2.0	12	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Manganese (Mn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)	1.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium (Se)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Strontium (Sr)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tin (Sn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Organic tin☆	0.1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Zinc (Zn)	5.0	N.D.	N.D.	N.D.	52	N.D.	N.D.	N.D.
Conclusion		PASS	PASS	PASS	PASS	PASS	PASS	PASS

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Test Report

Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2,2019

Page 15 of 18

Substance	RL (mg/kg)	Test Result (mg/kg)						
		36	37	38	39	40	41	42
Aluminium (Al)	5.0	N.D.	15	34	N.D.	N.D.	N.D.	N.D.
Antimony (Sb)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Arsenic (As)	0.5	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Barium (Ba)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Boron (B)	5.0	N.D.	11	N.D.	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)	0.2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(III) (Cr ³⁺)	2.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Chromium(VI) (Cr ⁶⁺)	0.05	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Cobalt (Co)	1.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Copper (Cu)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Lead (Pb)	2.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Manganese (Mn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)	1.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Selenium (Se)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Strontium (Sr)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tin (Sn)	5.0	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Organic tin☆	0.1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Zinc (Zn)	5.0	N.D.	N.D.	317	N.D.	N.D.	N.D.	N.D.
Conclusion		PASS	PASS	PASS	PASS	PASS	PASS	PASS

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Test Report

Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2,2019

Page 16 of 18

The table of Migration Elements limit:

Substance	Limit (mg/kg)		
	Dry, brittle, powder-like or pliable materials	Liquid or sticky materials	Scraped-off materials
Aluminium (Al)	5625	1406	70000
Antimony (Sb)	45	11.3	560
Arsenic (As)	3.8	0.9	47
Barium (Ba)	1500	375	18750
Boron (B)	1200	300	15000
Cadmium (Cd)	1.3	0.3	17
Chromium(III) (Cr ³⁺)	37.5	9.4	460
Chromium(VI) (Cr ⁶⁺)	0.02	0.005	0.053
Cobalt (Co)	10.5	2.6	130
Copper (Cu)	622.5	156	7700
Lead (Pb)	2.0	0.5	23
Manganese (Mn)	1200	300	15000
Mercury (Hg)	7.5	1.9	94
Nickel (Ni)	75	18.8	930
Selenium (Se)	37.5	9.4	460
Strontium (Sr)	4500	1125	56000
Tin (Sn)	15000	3750	180000
Organic tin ☆	0.9	0.2	12
Zinc (Zn)	3750	938	46000

- Note:**
1. mg/kg = part per million (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL = Report Limit.
 4. Calculated concentration of Chromium(III) (Cr³⁺) and Chromium(VI) (Cr⁶⁺) are based on total Chromium.
 5. "☆" = Organic tin include Methyl tin, Butyltin, Dibutyl tin, Tributyl tin, Tetrabutyl tin, n-Octyl tin, Di-n-octyl tin, Di-n-propyl tin, Diphenyl tin, Triphenyl tin, Dimethyl tin. The migration of organic tin is expressed as tributyltin.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Test Report


Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2,2019

Page 17 of 18

Test Flow Chart



Photo(s) of Sample:

The following photo(s) is(are) provided by the customer



This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

Test Report

Report No.: U00321191113029E

Query Password: QW0331

Date: Dec. 2,2019

Page 18 of 18



End of Report

This report is considered invalidated without the Special Seal for Inspection of the UONE, This report shall not be altered, increased or deleted. The results shown in this test report refer only to the sample tested. Without written approval of UONE, this report shall not be copied and published as advertisement.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.