

EC safety data sheet (91/155 EEC)

Trade name: SILK

Status: 15.11.02

Product no.: 1760

Version : 1 / GB

Date of printing : 18.02.2003

1.) Identification of the substance/preparation and company

Product details

Trade name

SILK

Identification of the manufacturer / supplier

Address

Marabuwerke GmbH & Co. KG
Asperger Straße 4
D-71732 Tamm

Telephone no. 07141/691-0

Fax no. 07141/691-235

Information provided by / telephone

Product safety +49 7141/691-116 or 232

Emergency telephone number

Product safety +49 7141/691-116 or 232

Use

Paint

2.) Composition / information on ingredients

Chemical characterization

Paint based on acrylic resins and on water

Hazardous ingredients

1,2,3-PROPANTRIOL

CAS no. 56-81-5

EINECS no. 200-289-5

Concentration >= 1 < 5 %-b.w.

Ink shade 032 contains additionally:

ETHANEDIOL

CAS no. 107-21-1

EINECS no. 203-473-3

Concentration >= 1 < 5 %-b.w.

Classification Xn;R22

3.) Hazards possibilities

4.) First aid measures

After skin contact

Wash away with soap and water and rinse. Do NOT use solvents or thinners!

After eye contact

Flush with plenty of water (10 - 15 min.).

After ingestion

Call a doctor.



EC safety data sheet (91/155 EEC)

Trade name: SILK

Status: 15.11.02

Product no.: 1760

Version : 1 / GB

Date of printing : 18.02.2003

5.) Fire-fighting measures

Suitable extinguishing media

Carbon dioxide, foam, sand, water.

Special exposure hazards arising from the substance or preparation itself, its combustion products or from resulting gases

Material supports the burning only after evaporation of the watery content.

6.) Accidental release measures

Personal precautions

No particular measures required.

Environmental precautions

No particular measures required.

Methods for cleaning up/taking up

Wash off exhausted ink with cleaning cloths. Wash away or put into household refuse.

7.) Handling and storage

Handling

Advice on safe handling

none

Advice on protection against fire and explosion

Material supports the burning only after evaporation of the watery content.

Storage

Requirements for storage rooms and vessels

Store in frostfree conditions. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8.) Exposure controls / personal protection

Additional hints on technical system design.

No particular measures required.


Ingredients with occupational exposure limits to be monitored

ETHANEDIOL

OES/EH40	Dust			
Value		10		mg/m ³
OES/EH40	Vapour			
Value		60		mg/m ³
STEL		125		mg/m ³
2000/39/EC				
Value	20	ml/m ³	52	mg/m ³
STEL	40	ml/m ³	104	mg/m ³
Skin resorption / sensibilisation	skin			

1,2,3-PROPANTRIOL

OES/EH40	Vapour			
Value		10		mg/m ³



EC safety data sheet (91/155 EEC)

Trade name: SILK

Status: 15.11.02

Product no.: 1760

Version : 1 / GB

Date of printing : 18.02.2003

9.) Physical and chemical properties

Appearance

Form	liquid
Colour	see trade name
Odour	neutral

Safety data

Changes in physical state

Type	Boiling point:
Value	100

Vapour pressure

Value	23		hPa
Reference temperature	20	°C	
Method	water		

Density

Value	1,0	- 1,2	g/cm ³
Reference temperature	20	°C	

pH value

Value	8	- 9	
Reference temperature	20	°C	

10.) Stability and reactivity

Conditions to avoid

None known.

Materials to avoid

None known.

Hazardous decomposition products

None, if handled according to order.

11.) Toxicological information

Experience in practice

Provided all the recommended protective and safety precautions are taken, experience shows that no risk to health can be expected. Possible effects in case of overexposure:

Splashes in the eyes may cause mild irritation and cause the eyelids to stick together.

If larger quantities are swallowed, stomach complaints may result.

Other information

There are no data available on the preparation itself.

The product was classified in toxicological terms on the basis of the results of the calculation procedure outlined within General Directive on Preparations (1999/45/EEC).

12.) Ecological information


Ecotoxic effects

Behaviour in sewers [waste treatment plants]

Remarks	There are no data available on the preparation itself.
---------	--

General information / ecology

inapplicable



EC safety data sheet (91/155 EEC)

Trade name: SILK

Status: 15.11.02

Product no.: 1760

Version : 1 / GB

Date of printing : 18.02.2003

13.) Disposal considerations

Product

The product can be placed with other household refuse. Small residues in containers can be washed-out with water and put into the drainage system.

Uncleaned packaging

Uncleaned packaging must be disposed of in the same manner as the medium.

Completely emptied containers can be used in the recycling chain with glass or tinfoil.

14.) Transport information

Land transport ADR/RID

Remarks non-dangerous goods

Marine transport IMDG/GGVSee

Remarks The product does not constitute a hazardous substance in sea transport.

Air transport ICAO/IATA

Remarks The product does not constitute a hazardous substance in air transport.

Other information

Not hazardous goods as described in the transport regulations.

15.) Regulatory information

Labelling in accordance with EC directives

The product does not require a hazard warning label in accordance with EC directives/ GefStoffV (German regulations on dangerous substances).

16.) Other information

Other information

According to their chemical structure, the applied raw materials do not contain any antimony, arsenic, soluble barium, lead, cadmium, chromium, mercury and selenium.

Product conforms therefore to DIN EN 71, part 3.

1,2,3-PROPANTRIOL

ETHANEDIOL

22 Harmful if swallowed.

Department issuing safety data sheet

Laboratory/product safety.

Contact person

Dipl.-Chem. G. Heller or Dipl.-Ing. U. Voetter.

The instructions are based on today's information and knowledge. The safety data sheet describes products in relation to safety requirements. These instructions do not assure application technological properties of the product.