

Report No.: RTS200902M0260TY Date: 2020-09-05 Page 1 of 7

# **TEST REPORT**

	OVERALL RATING
×	PASS
	FAIL

Test information						
Applicant	:	ZHEJIANG ISTAR IMPORT&EXPORT CO.,LTD.				
Address	:	No.17 jinhui road,yiwu city,zhejiang province,China.				
Sample Description	:	Necklace.				
Style #	:	714154.				
Labeled Age Grade	:	<del></del>				
Client Request Age Grade	:	3 years+.				
Age grade for testing	:	3 years+.				
Country of origin	:	China.				
Supplier	:	ZHEJIANG ISTAR IMPORT&EXPORT CO.,LTD.				
Export to	:	Denmark.				
Buyer	:	Vestergaard A/S.				
Receiving Date	:	September 02, 2020.				
Test period	:	September 02, 2020.∼September 05, 2020.				
Test Requested	:	Tests requested in accordance to client requirement.				

TEST ITEMS	CONCLUSIONS
EN71-1:2014+A1:2018 - Mechanical and Physical Properties(Excepted labeling check as per client's request.)	PASS
EN71-2:2011+A1:2014 - Flammability	PASS
EN71-3:2019 - Migration of Certain Elements	PASS
European Union Regulation (EU) 2018/2005 and Entry 51/52 of Regulation (EC)No 552/2009 and (EU) No 326/2015 amending Annex XVII of REACH Regulation(EC)No 1907/2006 - Phthalates test.	PASS

Signed for and on bell solvers TEST CO., LTD RTS

CHANGBIAO YU

**Approved signatory** 

Zhejiang RTS Test Co., LTD. Phone: +86(0)579-85640080 Email: ruivi-8@zi-rts.com

<u>http://www.irtslab.com</u> 游江有义乌市稠江街道英才创业园 B 区 7 幢 2-4 层. 2-4/f, Building 7, Block B, Ying cai Business Park, Choujiang Street, Yiwu, Zhejiang.



Report No.: RTS200902M0260TY Date: 2020-09-05 Page 2 of 7

# Sample image:



Test Number	Item/ component description(s)		
Α	Necklace overall		
A1	White square bead (substrate)		
A2	Dark blue plastic bead & light blue plastic bead & red plastic bead (small)		



Report No.: RTS200902M0260TY Date: 2020-09-05 Page 3 of 7

## **Test result:**

## A. European Standard-Safety of Toys: EN71-1:2014+A1:2018 Mechanical and Physical Properties:

Section(s)	Test	Test Results
00011011(0)	1001	A
4	General Requirements	
4.1	Material cleanliness	PASS
4.2	Assembly	N/A
4.3	Flexible plastic sheeting	N/A
4.4	Toy bags	N/A
4.5	Glass	N/A
4.6	Expanding materials	N/A
4.7	Edges	PASS
4.8	Points and metallic wires	PASS
4.9	Protruding parts	N/A
4.10	Parts moving against each other	N/A
4.10.1	Folding & sliding mechanisms	N/A
4.10.2	Driving mechanisms	N/A
4.10.3	Hinges	N/A
4.10.4	Springs	N/A
4.11	Mouth-actuated toys and other toys intended to be put in the mouth	N/A
4.12	Balloons	N/A
4.13	Cords of toy kites and other flying toys	N/A
4.14	Enclosures	N/A
4.14.1	Toys which a child can enter	N/A
4.14.2	Masks & Helmets	N/A
4.15	Toys intended to bear the mass of a child	N/A
4.15.1	Toys propelled by a child or other means	N/A
4.15.2	Toy bicycles	N/A
4.15.3	Rocking horses & similar toys	N/A
4.15.4	Toys not propelled by a child	N/A
4.15.5	Toy scooters	N/A
4.16	Heavy immobile toys	N/A
4.17	Projectile toys	N/A
4.17.1	General	N/A
4.17.2	All projectiles	N/A
4.17.3	Projectiles toys with stored energy	N/A
4.17.4	Certain projectile toys without stored energy	N/A
4.18	Aquatic toys and inflatable toys	N/A



Report No.: RTS200902M0260TY Date : 2020-09-05 Page 4 of 7

·		Test Results	
Section(s)	Test	Α	
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	N/A	
4.20	Acoustics	N/A	
4.21	Toys containing a non-electrical heat source	N/A	
4.22	Small balls	N/A	
4.23	Magnets	N/A	
4.24	Yo-Yo balls	N/A	
4.25	Toys attached to food	N/A	
4.26	Toy disguise costumes	N/A	
4.27	Flying toys	N/A	
5	Toys intended for children under 36 months		
5.1	General requirements	N/A	
5.2	Soft-filled toys and soft-filled parts of a toy	N/A	
5.3	Plastic sheeting	N/A	
5.4	Cords, chains and electrical cables in toys	N/A	
5.5	Liquid-filled toys	N/A	
5.6	Speed limitation of electrically driven toys	N/A	
5.7	Glass and porcelain	N/A	
5.8	Shape and size of certain toys	N/A	
5.9	Toys comprising monofilament fibres	N/A	
5.10	Small balls	N/A	
5.11	Play figures	N/A	
5.12	Hemispheric-shaped toys	N/A	
5.13	Suction cups	N/A	
5.14	Straps intended to be worn fully or partially around the neck	N/A	
6	Packaging	N/A	
7	Warnings, markings and instructions for use	N/C	

Remark: N/A= Not Applicable, N/C= Not Conducted as per client's request.



Report No.: RTS200902M0260TY Date : 2020-09-05 Page 5 of 7

## B. European Standard-Safety of Toys: EN71-2:2011+A1:2014 Flammability of Toys:

Test Item(s)	Observation	Test Results A	
4.1 General	No visual signs of Cellulose Nitrate.	PASS	
4.2 Toys to be worn on the head	1	N/A	
4.3 Toy disguise costumes and			
toys intended to be worn by a	1	N/A	
child in play			
4.4 Toys intended to be entered		N/A	
by a child		IN/A	
4.5 Soft-filled toys	1	N/A	

Remark: N/A= Not Applicable



Report No.: RTS200902M0260TY Date : 2020-09-05 Page 6 of 7

#### C. European Standard-Safety of Toys: EN 71-3:2019 Migration of Certain Elements: (Unit: mg/kg)

Florida	MDI	Test Results	Limit Value
Elements	MDL	A1	Category III
Soluble Aluminum(AI)	50	N.D.	70000
Soluble Antimony (Sb)	10	N.D.	560
Soluble Arsenic(As)	10	N.D.	47
Soluble Barium (Ba)	50	N.D.	18750
Soluble Boron (B)	50	N.D.	15000
Soluble Cadmium(Cd)	5	N.D.	17
Soluble trivalent chromium(Cr+3)	5	N.D.	460
Soluble Chromium VI (Cr+6)*	0.01	N.D.	0.053
Soluble Cobalt(Co)	10	N.D.	130
Soluble Copper(Cu)	50	N.D.	7700
Soluble Lead(Pb)	5	N.D.	23
Soluble Manganese(Mn)	50	N.D.	15000
Soluble Mercury(Hg)	10	N.D.	94
Soluble Nickel(Ni)	10	N.D.	930
Soluble Selenium(Se)	10	N.D.	460
Soluble Strontium(Sr)	50	N.D.	56000
Soluble Tin(Sn)	4.9	N.D.	180000
Soluble Organic tin**	4.9	N.D.	12
Soluble Zinc(Zn)	50	N.D.	46000

#### **Explain:**

- 1)"--"= Not clearly defined
- 2)N.D. = not detected, less than MDL (Method Detection Limit) .
- $3) \blacktriangle =$  sample was tested in mixture.
- 4) If the chromium content of the tested sample does not exceed the limits of chromium III and/or chromium VI, it is deemed to comply on the respective migration requirements of chromium III and/or chromium VI under 2009/48/EC. Otherwise, the compliance on the migration requirements of the individual chromium III and/or chromium VI are confirmed by ion speciation techniques
- \*: The chromium VI content is determined by LC-ICP-MS or High resolution UV-VIS spectroscopy. (If confirmation is done only)
- 5) If the Organic Tin content of the tested sample projected by the tin content does not exceed the limit of Organotin, it is deemed to comply on the respective migration requirement of Organic Tin under 2009/48/EC and marked with "--". Otherwise, the compliance on the migration requirement of Organic Tin is confirmed by GCMS analysis.
- \*\*: The Organic Tin content is determined by GC-MS. (If confirmation is done only).

Test Method: In accordance with EN 71-3:2019:

- 1. To determine the soluble heavy metals content, Analysis was preformed by LC-ICP-MS.
- 2. To determine the Chromium VI (Cr+6) content, Analysis was preformed by LC-ICP-MS.
- 3. To determine the organic tin content, Analysis was preformed by GC-MS.



#### D. Phthalates Content test: (Unit: mg/kg)

European Union Regulation (EU) 2018/2005 and Entry 51/52 of Regulation (EC)No 552/2009 and (EU) No 326/2015 amending Annex XVII of REACH Regulation(EC)No 1907/2006.

Test method: With reference to EN 14372:2004-6.3.2, was analyzed by Gas Chromatograph-Mass Spectrometer (GC-MS).

Test Number	Item/ component description(S)
A2	Dark blue plastic bead & light blue plastic bead & red plastic bead (small)

Test Item(s)	CAS No.	Results A2 ▲	MDL	Limit value
Dibutyl Phthalate(DBP)	84-74-2	N.D.	50	-
Benzylbutyl Phthalate(BBP)	85-68-7	N.D.	50	-
Bis-(2-ethylhexyl)Phthalate(DEHP)	117-81-7	384	50	-
Diisobutyl phthalate (DIBP) 84-69		N.D.	50	-
Total(DBP+BBP+DEHP+DIBP)	384	-	1000	
Di-n-octyl Phthalate(DNOP)	117-84-0	N.D.	50	-
Diisodecyl Phthalate(DIDP)	26761-40-0 & 68515-49-1	N.D.	50	-
Di-iso-nonyl Phthalate(DINP)	28553-12-0 & 68515-48-0	N.D.	50	-
Total(DNOP+DIDP+DINP)	N.D.	-	1000	
Conclusion:	PASS	-	-	

#### Note:

- 1) N.D. = not detected, less than MDL.
- 2) MDL = Method Detection Limit.
- 3)" A" = This data is obtained from composite testing on more than one materials or shapes, it is possible that result obtained from individual testing on any one of the materials or shapes is substantially higher. Please be cautious when using this data for compliance evaluation.

